DARRYL E. FISHER, CHAIRMAN ELECTION DISTRICT NO. 1 OLDHAMS, VIRGINIA 22529

W. W. HYNSON, VICE CHAIRMAN ELECTION DISTRICT NO. 4 COLONIAL BEACH, VIRGINIA 22443

RUSS CULVER ELECTION DISTRICT NO. 2 MONTROSS, VIRGINIA 22520

LYNN C. BROWNLEY ELECTION DISTRICT NO. 3 MONTROSS, VIRGINIA 22520

LARRY ROBERSON ELECTION DISTRICT NO. 5 COLONIAL BEACH, VIRGINIA 22443





Board of Supervisors
MONTROSS, VIRGINIA 22520-1000

NORM RISAVI County Administrator P. O. BOX 1000 MONTROSS, VIRGINIA 22520-1000 PHONE: 804/493-0130 FAX: 804/493-0134 E-mail: nrisavi@westmoreland-county.org Web Page: www.westmoreland-county.org

RECEIVED MAY 182009 PRO

15 May 2009

Ms. Denise Mosca
Department of Environmental Quality
Piedmont Regional Office
4949-A Cox Road
Glen Allen, VA 23060

RE: Montross – Westmoreland WWTP

VAPDES #0072729

Dear Ms. Mosca:

The enclosed signature pages and data packages are forwarded to you as part of the permit application for the above-referenced facility.

If you have any questions, please feel free to contact me at (804) 493-9395.

Sincerely,

Norm Risavi

County Administrator

NR:lbt

Enclosures



MAY 1 8 2009

Please print or I	type in the unshad	ed areas only.					Form	Approved, OMB No. 2040-0	086.				
FORM						ION AGENCY	I. EF	PA I.D. NUMBER					
1	\$EPA				IFORMA		3	AZA		-	The Land		
GENERAL			Consolidated Permits Program (Read the "General Instructions" before starting.) 1 2										
LARE	L ITEMS				17.7.15	14. 电压电路 医精神病毒		GENERAL INSTRU			<u> </u>		
2.1.1.1.1.1.1.1	ettemo Generalisa						desi	preprinted label has been gnated space. Review the inform	nation o	arefully	; if any of it		
I EPA I.D.	NUMBER							correct, cross through it and en ropriate filt-in area below. Also, it					
III. FACILIT	Y NAME	PLEASE	PLA	CE LA	BEL IN THI	S SPACE	is al	bsent (the area to the left of rmation that should appear), plea a area(s) balow. If the labe) is o	the tel	el spa vida it i	ce lists the		
V. FACILITY ADDRESS	Y MAILING 35						need	d not complete Items I, III, V, a of be completed regardless). Con been provided. Refer to the ins	nd VI nplete	(except all item	VI-B which s if no label		
VI. FACILIT	Y LOCATION							criptions and for the legal authors is collected.	rizalion	ร นกป๋ย	r which this		
II. POLLUTAN	T CHARACTERIS	TICS					Çata						
INSTRUCTIO	NS: Complete A th	rough J to determine whethe	t vou i	need t	o submit an	y permit application forms to t	ihe Ef	PA. If you answer "ves" to a	nv que	stions	vou must		
submit this for you answer "n	m and the supple o" to each questio	mental form listed in the pare	nthesi f thesi	is folio: s form:	wing the qu s. You may	estion. Mark "X" in the box in answer "no" if your activity is	the th	hird column if the supplemen	ntal for	m is a	ttached. If		
				Mari	k 'X"			u- - -		Mer			
	SPECIFIC QU	IESTIONS	YES	ОИ	FORM ATTACHED	SPECIFIC	CQUE	ESTIONS	YES	Ю	FORM ATTACHED		
		ned treatment works which ars of the U.S.? (FORM 2A)	~		ı	aquatic animal produc	anin	nal feeding operation or facility which results in a		١			
			16	17	18	discharge to waters of ti			19	29	21		
	he U.S. other tha	tly results in discharges to n those described in A or B		~		D. Is this a proposed facility or B above) which will retthe U.S.? (FORM 2D)		r than those described in A a discharge to waters of		~			
		reat, store, or dispose of	22	23	24	F. Do you or will you inju	ect e	t this facility industrial or	26	26	Z1		
hazardous	wastes? (FORM	3)		~		municipal effluent be containing, within one	low quarte	the lowermost stratum or mile of the well bore,		/			
			26	29	30	underground sources of d			31	52	33		
or other fl connection inject fluids	uids which are with conventional used for enhance	s facility any produced water brought to the surface in oil or natural gas production, ad recovery of oil or natural		_		H. Do you or will you inject processes such as mining solution mining of miner fuel, or recovery of geother		~					
gas, or inje (FORM 4)	ect fluids for stora	age of liquid hydrocarbons?	M 35 36						37		39		
	ly a proposed stat	tionary source which is one	<u> </u>	35	36	I is this facility a propose	ed et	ationary source which is	1 37	38	39		
of the 28 inc which will p	dustrial categories potentially emit 10	listed in the instructions and 00 tons per year of any air Clean Air Act and may affect		J. Is this facility a proposed stationary source which is NOT one of the 28 industrial categories listed in the instructions and which will potentially emit 250 tons per year of any air pollutant regulated under the Clean Air Act						~			
	d in an attainment		40	41	42	and may affect or be k (FORM 5)	43	44	45				
III. NAME OF	FACILITY							·					
ightarrow	DNTRO	SS-WESTM	PR	2	- A NA	ו ופליליות ו		T"1" 1 1 1 1 1 1 1	j 				
15 18 - 29 30 IV. FACILITY	CONTACT								HES .				
IV. PAGILITI	CONTACT	A. NAME & TITLE (last	fires	L eista'	1			3. PHONE (area code & no.)		ACANON	Park in the		
c I		TE TO GOLD OF THE EX (GOS)	. <i>)</i> ,,, <u>,,,</u>	J	<u></u>		0		آم		THE SERVE		
2 NO R	m RIS	AVI COUN	• 7 }	<u> </u>	ADM		80	4443013	7				
15 16 V EACH TV 884	AILING ADDRESS	,				45	46	40 49 51 52-	55		and the second of the second		
V.PAGILTT WA	AILING ADDRESS	A. STREET OR P	O RC)Y			25.3				SERVEN I		
		7.5111111	T	ĤΠ	177								
	B' P'X' 1	000											
15 16		D OUT OF TOUR				45	<u> </u>	naan	. 100, 110.1 10.251 110.1	- 1.75 (2.5	aren eren azatan. Nesa Erentetek		
c T		B. CITY OR TOWN				C. STATE		IP CODE	V. V.				
4 14 0 10	TR 055		•	, ,			2	520					
16 16			_			40 41 42 47	7	51 1,700 (10,70),700 (10,70)	, , eq. 3 eq. 4		and the same of the		
VI. FACILITY											1.15 6.76 6.76		
5 160	LYEL	REET, ROUTE NO. OR OTHE	R SP	ECIFIC	CIDENTIFI								
16 18		B COLUMN	/ hi h = :			45			140 (1744) 140 (1434)	,75 - 51 2,74 75			
w & s	TMOR	B. COUNTY	NAM	1E 	l I		70						
		C. CITY OR TOWN		•——		D. STATE	E. ZI	IP CODE F. COUNTY C	ODE (if knov	m)		
6 MON	718085			П		VA 2	2 2	520					

CONTINUED FROM THE FRONT VII. SIC CODES (4-digit, in order of priority)	
A. FIRST	B. SECOND
5 4952 (specify) 18 10 10	(specify)
C. THIRD	D. FOURTH
[7]	7 Specgyy
VIII. OPERATOR INFORMATION	16 16 10
A. NAME B. WES TOORELAND COUNTY	B. Is the name listed in Item VIII A also the owner?
15 16	Mary YES □ NO
C. STATUS OF OPERATOR (Enter the appropriate letter into the	answer bax: if "Other," specify.) D. PHONE (area code & no.)
F = FEDERAL S = STATE P = PRIVATE M = PUBLIC (ather than federal or state) O = OTHER (specify) (sq	(activ) A 8 0 4 4 9 3 0 1 3 0 15 6 15 15 21 22 28
E. STREET OR P.O. BOX	
F. CITY OR TOWN	G. STATE H. ZIP CODE IX. INDIAN LAND
BMONTROSS	レA 22520 Is the facility located on Indian lands?
X. EXISTING ENVIRONMENTAL PERMITS	40 41 42 47 69
A. NPDES (Discharges to Surface Water) D. PSD (Air Fin	issions from Proposed Sources)
9 N V A O O 7 Z 7 Z 9 9 P	30
B. UIC (Underground injection of Fluids)	E. OTHER (specify)
	(specify)
9 U 9 1 15 16 17 18 20 15 16 17 18	30
C. RCRA (Hazardous Wastes)	E. OTHER (specify)
	(specify)
15 16 17 18 30 15 16 17 18	30
XI. MAP	<u> </u>
Attach to this application a topographic map of the area extending to at least one localing of each of its existing and proposed intake and discharge structures each	mile beyond property boundaries. The map must show the outline of the facility, the of its hazardous waste treatment, storage, or disposal facilities, and each well where it
injects fluids underground. Include all springs, rivers, and other surface water bodies	in the map area. See instructions for precise requirements.
XII. NATURE OF BUSINESS (provide a brief description)	
1 -1. 1. +-4	at mant
Montespal wasdemader tre	a,
XIII. CERTIFICATION (see instructions)	the state of the s
I certify under penalty of law that I have personally examined and am familiar with the information control in the information control am aware that there are significant penalties for submitting false information, including the information in the information including the information in the inform	he information submitted in this application and all attachments and that, based on my tined in the application, I believe that the information is true, accurate, and complete. I g the possibility of fine and imprisonment.
A. NAME & OFFICIAL TITLE (type or print) B. SIGNATURE	C. DATE SIGNED
Norm Risari	5/15/2009
County Administrative	Leave Xisaur
COMMENTS FOR OFFICIAL USE ONLY	
C	

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99

MONTROSS-WEST PERMIT #VAOO7	MORELAND WWTP 2729		OMB Number 2040-0000
BASIC APPLIC	ATION INFORMAT	FION	
PART C. CERTIFICA			
applicants must completed and are	plete the Certification Section le all applicable sections of F	form 2A, as explained in the A certification statement, applica	ormine who is an officer for the purposes of this certification. All opplication Overview. Indicate below which parts of Form 2A you onto confirm that they have reviewed Form 2A and have completed
Indicate which parts of	f Form 2A you have comple	eted and are submitting:	
Basic Applic	cation Information packet	Supplemental Application (information packet:
		Part D (Expanded	Effluent Testing Data)
		Part E (Toxicity To	esting: Biomonitoring Data)
		Part F (industrial	User Discharges and RCRA/CERCLA Wastes)
		Part G (Combined	l Sewer Systems)
ALL APPLICANTS MUS	ST COMPLETE THE FOLLO	OWING CERTIFICATION.	
designed to assure that a who manage the system	qualified personnel properly nor those persons directly re nd complete. I am aware that	gather and evaluate the inform esponsible for gathering the info	under my direction or supervision in accordance with a system nation submitted. Based on my inquiry of the person or persons ormation, the information is, to the best of my knowledge and is for submitting faise information, including the possibility of fine
Name and official title	Norm Risavi, Co	ounty Administrat	or
Signature	frem y	Ciswi	
Telephone number	804-493-0130		4
Date signed	5/15/2009		
	mitting authority, you must st riate permitting requirements		cessary to assess wastewater treatment practices at the treatment

SEND COMPLETED FORMS TO:



P.O. BOX 5902, VIRGINIA BEACH, VIRGINIA 23471-0902 • (757) 460-7045 • FAX: (757) 460-3985

www.hrsd.com

Commissioners

R. Tyler Bland, III Chair

May 8, 2009

Vishnu K. Lakdawala, PhD

Vice-Chair

Parris D. Carson

B. Anne Davis

Douglas E. Miller

Frederick N. Elofson, CPA, PFS

Gerald S. Johnson

Michael E. Glenn

Norm Risavi

County Administrator Westmoreland County

P.O. Box 1000

Montross, VA 22520

FECENTER.

MAY I J. TAGA

Westmereiand County-Board of Supervisors

RE: PERMIT APPLICATION

Serving the Cities of

Chesapeake

Hampton

Newport News

Norfolk

Poquoson

Portsmouth Suffolk

Virginia Beach

Williamsburg

Dear Norm:

Enclosed are the analytical results, QA report, TBT and Radionuclides subcontracted data and chain of custody records for the March 12, 2009 sampling event.

Data has been emailed to Kevin Spruth at the Montross WWTP and Dick Sedgley, AquaLaw PLC.

Should you have any questions, please feel free to contact me at (757) 460-

Serving the Counties of

Gloucester

Isle of Wight

James City

King & Queen

King William

Mathews

Middlesex

York

Sincerely,

Daniel L. Barker **Environmental Scientist**

DLB/cmr

Enclosures



P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 • (757) 460-4205 • FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Co - Montross WWTP

Customer Sample ID:

Field-Blank

Project Code:

WE_MONT

Sample Point:

FB

Sample Date:	03/12/09						
			······································	Report		Analysis	
Analyte	Method	Unit	Result	Limit ¹	Analyst	Date	Analysis Time
Total Metals			· · · · · · · · · · · · · · · · · · ·				
Chromium	EPA 200.8	ug/L	<0.5	0.5	CBATO	03/25/09	11:34
Şelenium	EPA 200.8	ug/L	<1.0	1.0	CBATO	03/25/09	11:34
Dissolved Metals		_					
Antimony	EPA 200.8	ug/L	< 0.2	0.2	CBATO	03/25/09	12:10
Arsenic	EPA 200.7	ug/L	<60	60	SWILLI	03/23/09	17:30
Cadmium	EPA 200.8	ug/L	<0.1	0.1	CBATO	03/25/09	12:10
Copper	EPA 200.8	ug/L	< 0.5	0.5	CBATO	03/25/09	12:10
Lead	EPA 200.8	ug/L	< 0.5	0.5	CBATO	03/25/09	12:10
Mercury	EPA 245.1	ug/L	< 0.1	0.1	SLABOC	03/21/09	09:16
Nickel	EPA 200.8	ug/L	< 0.5	0.5	CBATO	03/25/09	12:10
Selenium	EPA 200.8	ug/L	<1.0	1.0	CBATO	03/25/09	12:10
Silver	EPA 200.8	ug/L	< 0.2	0.2	CBATO	03/25/09	12:10
Thallium	EPA 200.8	ug/L	<5	5	CBATO	03/25/09	12:10
Zinc	EPA 200.8	ug/L	3	2	CBATO	03/25/09	12:10
Notes		•					

 $^{^{}I}$ Report Limit is lowest concentration at which quantitation is demonstrated.

Authorization: Rolin Parnoll

ND - Sample concentration non-detectable.

HRSD

P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 ° (757) 460-4205 ° FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Notes

Westmoreland Co - Montross WWTP

Customer Sample ID:

Final Effluent

Project Code: Sample Point: WE_MONT

FNE

Sample Date:	03/12/09						
				Report		Analysis	
Analyte	Method	Unit	Result	Limit	Analyst	Date	Analysis Time
Autochemistry							
Chlorides	SM4500-CIB	mg/L	52	1	JGETTI	03/17/09	13:28
Sulfide (Hydrogen sulfide)	ASTM D 4658-03	mg/L	<0.1	0.1	RMORGA	03/16/09	08:25
Total Metals							
Chromium	EPA 200.8	ug/L	0.5	0.5	CBATO	03/25/09	11;39
Selenium .	EPA 200.8	ug/L	<1.0	1.0	CBATO	03/25/09	11:39
Dissolved Metals							
Antimony	EPA 200.8	ug/L	0.5	0,2	CBATO	03/25/09	12:15
Arsenic	EPA 200.7	ug/L	<60	60	SWILLI	03/23/09	17:35
Cadmium	EPA 200.8	ug/L	<0.1	0.1	CBATO	03/25/09	12:15
Chromium III (measured as Total Chromium)	Calculation	ug/L	0.5	0.5	邓光学中 交给	建32%的优	电影发展的
Chromium VI (measured as Total Chromium)	Calculation	ug/L	0.5	0.5	100 100 100 100		
Copper	EPA 200.8	ug/L	5.5	0.5	CBATO	03/25/09	12:15
Lead -	EPA 200,8	ug/L	<0.5	0.5	CBATO	03/25/09	12:15
Mercury	EPA 245.1	ug/L	<0.1	0.1	SLABOC	03/21/09	09:19
Nickel	EPA 200.8	ug/L	1.2	0.5	CBATO	03/25/09	12:15
Selenium	EPA 200.8	ug/L	<1.0	1.0	CBATO	03/25/09	12:15
Silver	EPA 200.8	, ug/L	< 0.2	0.2	CBATO	03/25/09	12:15
Thallium	EPA 200.8	ug/L	<5	5	CBATO	03/25/09	. 12:15
Zinc	EPA 200.8	ug/L	74.2	2	CBATO	03/25/09	12:15

¹ Report Limit is lowest concentration at which quantitation is demonstrated.

ND - Sample concentration non-detectable.

HRSD

P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 • (757) 460-4205 • FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Co - Montross WWTP

Customer Sample ID:

Final Effluent

Project Code:

WE_MONT

Sample Point: FNE

Sample Date: 03/12/09

				Report		Analysis	
Analyte	Method	Unit_	Result	Limit	Analyst	Date	Analysis Time
Volatile Organics							
Acrolein	EPA 624	·ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Acrylonitrile	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Benzene	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Bromoform	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Carbon Tetrachloride	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Chlorodibromomethane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Chloroform	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Dichlorobromomethane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,2-Dichloroethane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,1-Dichloroethylene	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,2-trans-Dichloroethylene	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,2-Dichloropropane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,3 Dichloropropylene*	EPA 624	ug/L	<20.0	20.0	SLOPEZ	03/15/09	18:12
Ethylbenzene	EPA 624	υg/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Methyl Bromide	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Methylene Chloride	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Monochlorobenzene (Chlorobenzene)	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,1,2,2-Tetrachloroethane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Tetrachloroethylene	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Toluene	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
1,1,2-Trichtoroethane	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Trichloroethylene (Trichloroethene)	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Vinyl Chloride	EPA 624	ug/L	<10.0	10.0	SLOPEZ	03/15/09	18:12
Acid Extractables		-					
2-Chlorophenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2,4 Dichlorophenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2,4 Dimethylphenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
4,6-Dinitro-o-cresol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2,4-Dinitrophenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Pentachlorophenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Phenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2,4,6 Trichlorophenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
NI.A.		-					

Notes

¹ Report Limit is lowest concentration at which quantitation is demonstrated.

ND - Sample concentration non-detectable.

^{*1,3-}Dichloropropylene is the sum of cis-1,3-Dichloropropene and trans-1,3-Dichloropropene.

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Co - Montross WWTP

Customer Sample ID:

Final Effluent

Project Code: Sample Point: WE_MONT

Sample Date:

FNE 03/12/09

				Report		Analysis	
Analyte	Method	Unit	Result	Limit ¹	Analyst	Date	Analysis Time
Base Neutral Extractables							
Acenaphthene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Anthracene	EPA 625	ug/l_	<10.0	10.0	SLOPEZ	03/20/09	03:44
Benzo(a)anthracene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Benzo(a)pyrene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
3,4 Benzosluoranthene (Benzo(b)fluoranthene)	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Benzo(k)fluoranthene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Benzidine	EPA 625	ug/L	<10.02	10.0	SLOPEZ	03/20/09	03:44
Bis-(2-chloroethyl)-ether	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Bis-2-(chloroisopropyl) ether	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Bis-2-ethyl hexyl phthalate	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Butyl benzyl phthalate	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2-Chloronaphthalene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Chrysene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Dibenzo(a,h) anthracene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Dibutyl phthalate (Di-n-butyl phthalate)	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
3,3-Dichlorobenzidine	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Diethyl phthalate	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Dimethyl phthalate	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
2,4-Dinitrotoluene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
1,2-Diphenylhydrazine ³	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Fluoranthene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Fluorene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03;44
Hexachlorobenzene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Hexachlorobutadiene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Hexachlorocyclopentadiene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Hexachloroethane	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Indeno(1,2,3-cd)pyrene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Isophorone	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Nitrobenzene	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
N-Nitrosodi-n-propyl amine	EPA 625	ug/L ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
N-Nitrosodimethylamine	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
n-Nitrosodi-phenylamine ⁴	EPA 625	ug/L ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
Nonylphenol	EPA 625	ug/L	<10.0	10.0	SLOPEZ	03/20/09	14:40
Pyrene	EPA 625	ug/L ug/L	<10.0	10.0	SLOPEZ	03/24/09	03:44
1,2,4 Trichlorobenzene	EPA 625	ug/L ug/L	<10.0	10.0	SLOPEZ	03/20/09	03:44
1,2,4 Thomoroodizone	E1 A 023	ug/L	~10.0	10.0	SLUPEZ	0.3120109	03:44

Notes

ND - Sample concentration non-detectable.

Report Limit is lowest concentration at which quantitation is demonstrated.

¹ The recovery of Benzidine in the Matrix Spike is below the in-house limit due to possible matrix interference. However, the recovery of Benzidine in the Laboratory Fortified Blank was within acceptable limits.

 $^{^3}$ 1,2-Diphenylhydrazine is converted to Azobenzene in extraction process.

 $^{^{4}}$ n-Nitrosodi-phenylamine decomposes in the injection port to Diphenylamine.



HRSD

P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 ° (757) 460-4205 ° FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Co - Montross WWTP

Customer Sample ID:

Final Effluent

Project Code:

WE_MONT

Sample Point: Sample Date: FNE 03/12/09

				Report		Analysis	
Analyte	Method	Unit	Result	Limit ¹	Analyst	Date	Analysis Time
Pesticides & PCB's							
Aldrin	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
alpha-BHC (Hexachlorocyclohexane)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
beta-BHC (Hexachlorocyclohexane)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Chlordane	EPA 608	ug/L	ND	0.20	SLOPEZ	03/23/09	19:31
4,4-DDD (DDD)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
4,4-DDE (DDE)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
4,4-DDT (DDT)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Dieldrin	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Endosulfan I (Alpha-Endosulfan)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Endosulfan II (Beta-Endosulfan)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Endosulfan Sulfate	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Endrin	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Endrin aldehyde	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Heptachlor	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Heptachlor Epoxide	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Lindane (Hexachlorocyclohexane)	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Methoxychlor	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Mirex	EPA 608	ug/L	< 0.05	0.05	SLOPEZ	03/23/09	19:31
Kepone .	EPA 608	ug/L	< 0.80	0.80	SLOPEZ	03/24/09	20:21
PCB 1016	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	19:31
PCB 1221	EPA 608	ug/L	ИD	1.00	SLOPEZ	03/23/09	19:31
PCB 1232	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	1 9 :31
PCB 1242	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	19:31
PCB 1248	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	19:31
PCB 1254	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	19:31
PCB 1260	EPA 608	ug/L	ND	1.00	SLOPEZ	03/23/09	19:31
PCB Total	EPA 608	ug/L	ND	7.00	SLOPEZ	03/23/09	19:31
Toxaphene	EPA 608	ug/L	ND	5.00	SLOPEZ	03/23/09	19:31
Organophosphorous Pesticides *							
Diazinon	EPA 622	0.10 ug/L	< 0.10	0.10	SLOPEZ	03/25/09	23:24
Demeton	EPA 622	0.10 ug/L	<0.10	0.10	SLOPEZ	03/20/09	17:29
Guthion	EPA 622	0.10 ug/L	< 0.10	0.10	SLOPEZ	03/20/09	17:29
Malathion	EPA 622	0.10 ug/L	< 0.10	0.10	SLOPEZ	03/20/09	17:29
Chlorpyrifos (Dursban)	EPA 622	0.10 ug/L	<0.10	0.10	SLOPEZ	03/20/09	17:29
Parathion	EPA 622	0.10 ug/L	< 0.10	0.10	SLOPEZ	03/20/09	17:29
Notes							

Notes

Authorization: Relin Panell

Date: 3/30/09

 $^{^{\}it l}$ Report Limit is lowest concentration at which quantitation is demonstrated.

ND - Sample concentration non-detectable.

^{*}One surrogate QC standard was above the in-house limits but was acceptable in the Laboratory Reagent Blank.

QUALITY ASSURANCE REPORT Level 1

Project:

Westmoreland County

Project Code:

WE_MONT_M

Sample Point:

FB; FNE (TOTAL AND DISSOLVED)

Sample Date:

03/12/09

Analytical Run Information	Cr	Cu	Se	Zn	Sb	As	Cd	Pb	Hg	Ni	Ag	Tl
Method	200.8	200.8	200.8	200.8	200.8	200.7	200.8	200.8	245.1	200.8	200.8	200.8
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Method Detection Limit (MDL)	0.019	0.08	0.03	0.15	0.018	20	0.007	0.04	0.02	0.03	0.009	0.028
Report Limit (RL)	0.5	0.5	1.0	2	0.2	60	0.1	0.5	0.1	0.5	0.2	5
Average LRB	0.030*	< 0.08	0.03*	0.40*	0.21^	<15	0.025*	< 0.04	< 0.02	< 0.03	0.021*	0.036*
Total Metals	Cr	Cu	Se	Zn	Sb	As	Cd	Pb	Hg	Ni	Ag	Tl
Sample ID: WE_MONT_M FN	E					.	·	•	•			
Matrix Spike Conc.	10.0	50	10.0	100								
MS Percent Recovery	92%	88%	93%	82%								
MSD Percent Recovery	96%	90%	96%	85%								
MS/MSD RPD	3	2	2	2					•			
Dissolved Metals		· Cu	Se	Zn	Sb	As	Cd	Pb	Hg	Ni	Ág	Tl
Sample ID: WE_MONT_M FN	E	<u>.</u>										-
Matrix Spike Conc.		50	10.0	100	5.0	200	1.0	10.0	1.0	10.0	10.0	20
MS Percent Recovery		87%	92%	84%	106%	102%	95%	101%	110%	82%	93%	104%
MSD Percent Recovery		86%	93%	81%	104%	117%	96%	100%	106%	81%	94%	102%
MS/MSD RPD		1	<1	2	t	13	< [1	5	1	1	1

LRB - Laboratory Reagent Blank

Validated By:

Date: (

03/27/09

MS - Matrix Spike

MSD - Matrix Spike Duplicate

RPD - Relative Percent Difference

^{*}Report Limit is lowest concentration at which quantitation is demonstrated. Values below report limit should not be used for compliance determination due to a high degree of uncertainty.

[^]LRB value did not meet Blank acceptance criteria.

Montross WWTP Grab Field Sheet

information enecked defore the start of sampling evenc
1. Average of the last five days FNE flow 31 K 2. List the last five days FNE TSS data with the most recent last 3.3 on, 2/2/09,
3. Sample event date and time 3/12/09 @
4. Does RWI have any abnormal characteristics (i.e., odor, color) ? Y / N If yes was recorded for the above question, describe characteristics in the notes section below
5. Sampling personnel: Semmon.
Note: If the answer to any question is yes, contact project manager immediately
Information checked at the end of sampling
1. Are all lids, valves and caps secure YYN
2. FNE TSS for the sampling period <u>wavaulable</u>
3. FB grab end time / date 312/09 @ 1045
4. FNE grab end time / date 3/12/09 @ 11/5-1/50
Note: If the answer to any question is NO, contact project manager immediately
Record any other circumstances which could affect the sample result:
march TSS data not available yet.
· · · · · · · · · · · · · · · · · · ·
Notes:

							•		•							· —				
HAMPTON	ROADS	CENTRAL 1432 AIR RAI VIRGINIA BE	IL AVENUI	Ε	AL LABO	RATORY		T + s			Cł	IAIN (OF CL	JSTO	ΣΥ					
SANITATION	DISTINGT	TEL: 757-460 FAX: 757-460	-4214	.0 133					· .	ÁNAL	YSES REC	UESTED,	CGN & NI	JMBER OF	CONTAIN	IERS				
PROJECT NAME/CO		reland Co. Mo	ntross WV	<u>vtp</u>				(5)	is (55)	-	٠	101)	9m)	q			Project it Yes No	ı Lim		
]				enger en	Total Metais (5)	Dissolved Metals (55)	Cyanide (4)	Sulfide (18)	Volatile 624 (10.	Semivol 625 (99m)	TBT (3131b)	CI (12)					
	HRSD (Use Only				Circle One	Circle One	.F	šä			Vol	ja S				HRSD U	se Or		
CUSTOMER SAMPLE ID	PROJECT CODE	SAMPLE POINT	DATE	TIME	SAMPLED	MATRIX	SAMPLE TYPE										Presv'd Checked	CON		
Ordin CE ID	WE_MONT	FB	3/12/2009	10 45	LG	L	G	1 /	1 -	i ensise inc	MARCH CONT.	NESCHIEGE DE	100000000000000000000000000000000000000		transet som grav	and the same and the	CHECKED	2		
	WE_MONT	FNE	3/12/2009	1115	LG	t.	· G	1 /										ã		
·	WE_MONT	FNE	3/12/2009	1150	LG	L	G			1.		10 /	-				1	11		
	WE_MONT	FNE	3/12/2009	1120	L.G	L	G	·			1		14	3 /	1 /			19		
				ļ <u>.</u>		i. s	C. C		<u> </u>								ļ			
<u>.</u>		<u></u>		<u></u>	· · · ·	L S	с в	 	·			·					ļ!			
					-	L. \$	C G		ļ		 		- 					 		
			 	-		L S	c e				 			ļi				 		
			 	 	 	L S L S	C G	}	<u> </u>							•				
	· · · · · · · · · · · · · · · · · · ·			 -		L S	C G	-				-								
COMMENTS:											·									
						Yer ind		Temp	. Require	ement				*Preser	vatives	-				
Relinquished by / Signa	ture X	whinn	 عم		Date/Time	113109	7010				*Hg, Metals	(pH<2 - HN	lO3) (Clean	metals ched	k in section)	-,			
Received by / Signature					Date/Time				equired, su		*O&G (pH<	2 - HCl. che	ck in section	n) & store ≤	6 °C					
Relinquished by / Signa	1718	100 110	WE		Date/Time 3			•	were transp naintained a		CN ⁻ (pH>12									
Received by / Signature	77	water	-		Date/Time 4	1 /	0727				*Sulfide (pH									
Relinquished by / Signa		7 / - /	<u> </u>		Date/Time	7,1-707	V (/2/				*Micro (Na ₃									
				 -i	Date/Time			Yes	<u>~</u> No.		COD, NUT		.,							
Relinquished by / Signa				•	Date/Time				t MR		· · · · · · · · · · · · · · · · · ·		store < 6°	C						
Received by / Signature					Date/Time			ln	T PVIX	-	*TOC (pH<2 - H ₃ PO ₄) & store ≤ 6 °C									

All sample(s) met proper *preservation requirements.

. CGN: Container Group Number

*NUT Non Acidified, Conductivity, Organics store ≤ 6 °C *Cr (VI) (pH 9.3 - 9.7 - (NH₄)₂SO₄) & store ≤ 6 °C

Sample Type: C=Composite, G=Grab Matrix: L= Liquid , S = Solid NOTE: ALL APPLICABLE INFORMATION MUST BE COMPLETED PRIOR TO ACCEPTANCE.

Virginia Institute of Marine Science School of Marine Science

April 8, 2009

Kathy Hobson HRSD 1432 Air Rail Avenue Virginia Beach, VA 23455

Dear Kathy:

The wastewater sample (WE_MONT FNE, 3-12-09) that you submitted on March 20, 2009 for tributyltin analysis was found to contain nondetectable TBT⁺, DBT⁺² and MBT⁺³ (limit of quantitation = 30 ng/L (pptr)).

This sample was extracted on April 3, 2009 and was analyzed by GC/FPD on April 7, 2009.

If you have any questions, please call me at 804-684-7654.

Sincerely,

Ellen Travelstead TBT Project Supervisor

Ellen Travel skut



a member of The GEL Group INC



PO Box 30712 Charleston, SC 29417 2040 Savage Road Charleston, SC 29407

P 843.556.8171 F 843.766.1178

www.gel.com

April 06, 2009

Kathy Hobson Hampton Roads Sanitation District Central Environmental Lab 1432 Air Rail Avenue Virginia Beach, Virginia 23455

Re: Radiochemistry Analysis Work Order: 226292

Dear Kathy Hobson:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on March 17, 2009. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4422.

1 1 /

Project Manager

Enclosures

20090347479 Page: _____ of GEL Laboratories, LLC **GEL Chain of Custody and Analytical Request** Project #: 2040 Savage Road GEL Quote #: Charleston, SC 29407 COC Number (1): GEL Work Order Number: スカ6292 % Phone: (843) 556-8171 PO Number: Fax: (843) 766-1178 Sample Analysis Requested (5) (Fill in the number of containers for each test) Client Name: Fax #: Project/Site Name: Should this <-- Preservative Type (6) sample be considered: Address: Comments Send Results To: Collected by: Note: extra sample is required for sample *Date Collected QC Code Field Collected/ Sample Sample ID specific OC (Military) Filtered (3) Matrix ⁶ (mm-dd-yy) * For composites - indicate start and stop date/time (hbmm) 1120 WE-MONT 03-12-09 Rush: Specify: (Subject to Surcharge) Fax Results: No Circle Deliverable: C of A / QC Summary / Level 1 / Level 2 / Level 3 / Level 4 TAT Requested: Normal: Remarks: Are there any known hazards applicable to these samples? If so, please list the hazards Sample Collection Time Zone Eastern Pacific See attached Information sheet, Central Mountain Chain of Custody Signatures Sample Shipping and Delivery Details GEL PM: Galamod of Shipment: Date Shipped: Airbill #: 1.) Chain of Custody Number - Client Determined For Lab Receiving Use Only 2.) OC Codes: N = Normal Semple, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike Sample, MSD = Matrix Spike Duplicate Semple, G = Grab, C = Composite 3.) Field Filtered: For liquid matrices, indicate with a - Y - for yes the sample was field filtered or - N - for sample was not field filtered. Curtody Seal Intact? 4.) Matrix Codes: DW-Drinking Water, GW-Groundwater, SW-Surface Water, WW-Waste Water, W-Water, SD-Soil, SD-Sediment, SL-Sludge, SS-Solid Waste, O-Oil, F-Filter, P-Wipe, U-Urine, F-Fecal, N-Nasal 5.) Sample Analysis Requested: Analytical method requested (i.e. 8260B, 6010B/7470A) and number of containers provided for each (i.e. 8260B - 3, 6010B/7470A - 1).

WHITE = LABORATORY

YELLOW = FILE

6.) Preservative Type: HA = Hydrochloric Acid, NI = Nitric Acid, SH = Sodium Hydroxide, SA = Sulfuric Acid, AA = Ascorbic Acid, HX = Hexane, ST = Sodium Thiosulfate, If no preservative is added = leave field blank

PINK = CLIENT

Cooler Temp:

SAMPLE RECEIPT & REVIEW FORM

Clie	nt: HROD				SDG/ARCOC/Work, Order: 226292							
Rece	ived By: RMS				Date Received: 3/17/09							
Susp	ected Hazard Information	Yes	S.	*If (Counts > x2 area background on samples not marked "radioactive", contact							
		12	5		Radiation Safety Group of further investigation.							
	/Samples marked as radioactive? iffied Radioactive II or III by RSO?	╂┈┆	-	Max	imum Counts Observed*:							
	/Samples marked containing PCBs?	1	7	 	20cpm							
	ped as a DOT Hazardous?	1	1	Haz	ard Class Shipped: UN#:							
	oles identified as Foreign Soil?				O.W.							
	Sample Receipt Criteria	Yes	A	°Z	Comments/Qualifiers (Required for Non-Conforming Items)							
1	Shipping containers received intact and sealed?				Circle Applicable: seals broken damaged container leaking container other (describe)							
2	Samples requiring cold preservation within 0 ≤ 6 deg. C?				Preservation Method: ice bags blue ice dry ice home other (describe)							
3	Chain of custody documents included with shipment?	1		-								
4	Sample containers intact and sealed?	/			Circle Applicable: seals broken damaged container leaking container other (describe)							
5	Samples requiring chemical preservation at proper pH?	1		j	Sample ID's, containers affected and observed pH: If Preservation added, Lot#:							
6	VOA vials free of headspace (defined as < 6mm bubble)?		1		Sample ID's and containers affected:							
7	Are Encore containers present?			1	(If yes, immediately deliver to Volatiles laboratory)							
8	Samples received within holding time?	√			ld's and tests affected:							
9	Sample ID's on COC match ID's on bottles?	1			Sample ID's and containers affected:							
10	Date & time on COC match date & time on bottles?	/			Sample ID's affected:							
11	Number of containers received match number indicated on COC?				Sample ID's affected:							
12	COC form is properly signed in relinquished/received sections?											
Com	nents: PS: 12 282 365 0	3 0) O(6642 MC							

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis Report for

HRSD001 Hampton Roads Sanitation District Client SDG: 226292 GEL Work Order: 226292

The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a surrogate compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.
- UI Gamma Spectroscopy--Uncertain identification

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the detection limit.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Jake Crook.

Reviewed by

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Report Date: April 6, 2009

HRSD00104 HRSD001

Project: Client ID:

Certificate of Analysis

Company: Hampton Roads Sanitation District

Address: Central Environmental Lab

1432 Air Rail Avenue

Virginia Beach, Virginia 23455

Contact: Kathy Hobson

Project: Radiochemistry Analysis

Client Sample ID: Sample ID:

Matrix:

Collect Date:

Receive Date: Collector:

WE_MONT FNE 226292001

Waste Water 12-MAR-09 11:20

17-MAR-09

Client

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	AnalystDate	Time	Batch	Method
Rad Gamma Spec Analy	ysis			-				-			
Gammaspec, Gamma, Liq	quid (Standard List) "As Recei	ived"								
Actinium-228	U	ND	+/-8.92	14.0	20.0	pCi/L		KXG3 03/27/09	0828 8	353411	1
Americium-241	Ū	ND	+/-16.7	24.6	25.0	pCi/L					
Antimony-124	Ŭ	ND	+/-5.90	10.3	5.00	pCi/L					
Antimony-125	Ū	ND	+/-5.77	9.47	10.0	pCi/L					
Barium-133	U	ND	+/-3.13	4.92	5.00	pCi/L					
Barium-140	Ū	ND	+/-16.0	27.7	30.0	pCi/L					
Beryllium-7	Ū	ND	+/-20.8	36.9	50.0	pCi/L					
Bismuth-212	U	ND	+/~18.1	29.3	50.0	pCi/L	•				
Bismuth-214	Ū	ND	+/-6.30	8.78	10.0	pCi/L					
Cerium-139	U	ND	+/-2.22	3.67	5.00	pCi/L					
Cerium-141	U	ND	+/-5.07	7.88	10.0	pCi/L					
Cerium-144	U	ND	+/-18.7	27.7	50.0	pCi/L					
Cesium-134	U	ND	+/-2.41	4.21	5.00	pCi/L					
Cesium-136	U	ND	+/-5.62	10.2	15.0	pCi/L					
Cesium-137	Ū	ND	+/-2.41	4.05	5.00	pCi/L					
Chromium-51	Ū	ND	+/-24.9	43.9	50.0	pCi/L					
Cobalt-56	U	ND	+/-2.42	4.28	5.00	pCi/L					
Cobalt-57	U	ND	+/-2.14	3.60	5.00	pCi/L					
Cobalt-58	U	ND	+/-2.21	4.08	10.0	pCi/L					
Cobalt-60	U	ND	+/-2.18	3.12	5.00	pCi/L					
Europium-152	Ū	ND	+/-6.72	11.7	20.0	pCi/L					
Europium-154	U	ND	+/5.55	9.96	20.0	pCi/L					
Europium-155	U	ND	+/-8.97	15.2	20.0	pCi/L					
Iridium-192	U	ND	+/-2.48	4.03	10.0	pCi/L					
Iron-59	U	ND	+/-5.34	9.12	10.0	pCi/L					
Lead-210	U	ND	+/-415	728	750	pCi/L					
Lead-212	U	ND	+/~7.91	7.74	15.0	pCi/L					
Lead-214	U	ND	+/6.00	8.96	10.0	pCi/L					
Manganese-54	U	ND	+/-1.97	3.33	5.00	pCi/L					
Mercury-203	U	ND	+/-2.70	4.46	5.00	pCi/L					
Neodymium-147	U	ND	+/-34.2	58.9	100	pCi/L					
Neptunium-239	U	ND	+/-16.1	26.8	25.0	pCi/L					
Niobium-94	U	ND	+/-2.04	2.99	5.00	pCi/L					
Niobium-95	Ŭ	ND	+/-2.44	4.18	5.00	pCi/L					
Potassium-40	U	ND	+/-32.5	53.6	100	pCi/L					
Promethium-144	U	ND	+/-2.11	3.22	5.00	pCi/L					
Promethium-146	U	ND	+/2.77	4.59	5.00	pCi/L			-		
Radium-228	U	ND	+/-8.92	14.0	20.0	pCi/L					

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company: Hampton Roads Sanitation District

Address: Central Environmental Lab 1432 Air Rail Avenue

Virginia Beach, Virginia 23455

Contact: Kathy Hobson

Project: Radiochemistry Analysis

Report Date: April 6, 2009

	Client Sample Sample ID:		WE_MONT F 226292001	NE		Project: Client ID	HRSD00104 : HRSD001		
Parameter	Qualifier	Result	Uncertainty	DL	RL	Units I	F AnalystDate	Time Batch	Metho
Rad Gamma Spec An	alysis								
Gammaspec, Gamma, i	Liquid (Standard List) "As Recei	ved"						
Ruthenium-106	U	ND	+/-20.6	33.3	50.0	pCi/L			
Silver-110m	U	ND	+/-2.15	3.86	5.00	pCi/L			
Sodium-22	U	ND	+/-1.98	3.55	5.00	pCi/L			
Thallium-208	\mathbf{U}	ND	+/-2.80	4.25	10.0	pCi/L			
Thorium-230	U	ND	+/-4110	1950	20.0	pCi/L			
Thorium-234	U	ND	+/-218	229	250	pCi/L			
Tin-113	U	ND	+/-3.02	5.09	10.0	pCi/L			
Uranium-235	U	ND	+/19.4	28.1	50.0	pCi/L			
Uranium-238	UI	ND	+/-218	185	250	pCi/L			
Yttrium-88	U	ND	+/-2.50	4.81	10.0	pCi/L			
Zinc-65	U	ND	+/4.56	6.67	10.0	pCi/L			
Zirconium-95	Ū	ND	+/-3.95	6.89	10.0	pCi/L			
Rad Gas Flow Propor	tional Counting								
GFPC, Gross A/B, liqu	id "As Received"								
Alpha	U	ND	+/-1.46	2.73	3.00	pCi/L	DXB5 03/26/09	2002 851881	2
Beta		8.62	+/-2.20	2.16	4.00	pCi/L			
GFPC, Sr90, liquid "A:	s Received"								
Strontium-90	U	ND	+/-0.850	1.48	2.00	pCi/L	BXF1 03/26/09	1720 851901	3
Rad Liquid Scintillati	on Analysis					•			
LSC, Tritium Dist, Liqu	ud "As Received"								
Tritium	ប	ND	+/-265	518	700	pCi/L	SXL4 03/27/09	0816 851923	4
The following Analys	tical Methods were j	performed							
Method	Description				A	nalyst Comments			
1	EPA 901.1								
2	EPA 900.0		•						
3	EPA 905.0 Mod	lified							
4	EPA 906.0 Mod	dified							
Surrogate/Tracer rec	overy Test				Result	Nominal	Recovery%	Acceptable Li	mits
Strontium Carrier	GFPC. Sr	90. liquid ".	As Received"				81	(25%-1259	%)

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: April 6, 2009

Page 1 of 10

Hampton Roads Sanitation District Central Environmental Lab

1432 Air Rail Avenue Virginia Beach, Virginia

Contact:

Kathy Hobson

Workorder: 226292

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range Anlst	Date Time
Rad Gamma Spec									
Batch 853411									
QC1201805070 226292001 DUP									
Actinium-228	U	-0.23	U	0.0696	pCi/L	373		N/A KXG3	03/27/09 12:49
		+/-8.92		+/-10.7					
Americium-241	·U	-5.94	U	-13.2	pCi/L	76		N/A	
		+/-16.7		+/-16.5					
Antimony-124	U	0.945	U	-1.52	pCi/L	856		N/A	
105	**	+/-5.90		+/-6.12	O: 17			> 7/4	
Antimony-125	ប	-2.11	U	2.29	pCi/L	4780		N/A	
D : 100	**	+/-5.77	**	+/-6.04	0:4	40		27/4	
Barium-133	U	-3.45	U	-2.3	pCi/L	40		N/A	
P. Com. 140	F.1	+/-3.13		+/-3.39	σ:π	<i></i>		27/4	
Barium-140	Ü	8.45 +/-16.0	U	15.2	pCi/L	57		N/A	
Danillon 7	T.1		T 1	+/-18.5	-a:u	272		NTIA	
Beryllium-7	U	13.8 +/-20.8	U	-2.09 +/-22.6	pCi/L	272		N/A	
Diameth 212	U		T T		C: a	691		N/A	
Bismuth-212	U	-2.61 +/-18.1	U	1.44 +/-19.0	pCi/L	091		N/A	
Bismuth-214	U	8.50	U	1.69	pCi/L	134		N/A	
D18111uu1-214	U	+/-6.30	U	+/-7.56	pc//L	134		N/A	
Cerium-139	U	-0.201	U	-0.0687	pCi/L	98		N/A	
GCI/IIII-137	Ü	+/-2.22	O	+/-2.53	PC#L	70		IVA	
Cerium-141	· U	4.66	U	-1.09	pCi/L	322		N/A	
· ·	Ü	+/-5.07	Ü	+/-6.11	PCIID			7.771	
Cerium-144	U	1.76	U	6.29	pCi/L	112		N/A	
<u> </u>		+/-18.7	_	+/-17.7	F				
Cesium-134	υ	0.394	U	2.14	pCi/L	138		N/A	
		+/-2.41		+/-2.82					
Cesium-136	U	3.26	U	-1.95	pCi/L	794		N/A	
	,	+/-5.62		+/-6.30	•				
Cesium-137	U	0.417	\mathbf{U}	-0.936	pCi/L	521		N/A	
		+/-2.41		+/-2.35	•				
Chromium-51	U	10.9	U	0.708	pCi/L	176		N/A	
		+/-24.9		+/-26.5					
Cobalt-56	υ	0.862	U	0.0423	pCi/L	181		N/A	
		+/-2.42		+/-2.26					
Cobalt-57	U	-0.0741	U	-0.196	pCi/L	90		N/A	
		+/-2.14		+/-2.20					
Cobalt-58	U	1.67	U	1.52	pCi/L	10		N/A	
		+/-2.21		+/-2.09					
Cobalt-60	U	-1.71	U	0.528	pCi/L	378		N/A	

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 226292 Page 2 of 10 NOM QC RPD% REC% Sample Qual Units Range Anlst Date Time **Parmname** Rad Gamma Spec 853411 Batch +/-2.18 +/-2.49 Europium-152 U 2.26 U 1.43 pCi/L 45 N/A KXG3 03/27/09 12:49 +/-6.72 +/-6.75 Europium-154 U U 1.27 pCi/L 69 N/A 2.61 +/-5.55 +/-6.82 Europium-155 U 0.432 U -7.09 226 N/A pCi/L +/-8.97 +/-9.54 Iridium-192 U 206 -2.2 U 0.0325 pCi/L N/A +/-2.48 +/-2.49 U Iron-59 0.680 U -3.74 289 pCi/L N/A +/-5.34 +/-5.22 Lead-210 U 181 U 74.0 pCi/L 84 N/A +/-415 +/-445 Lead-212 U 0.682 υ 1.02 40 N/A pCi/L +/-7.91 +/-6.76 Lead-214 U 1,21 U 1.89 pCi/L 44 N/A +/-6.00 +/-6.05 Manganese-54 U -0.206 1.78 252 N/A U pCi/L +/-1.97 +/-2.39 U Mercury-203 -2.01 U 1.38 pCi/L 1080 N/A +/-2.70 +/-3.06 U Neodymium-147 10.4 U -27.9 pCi/L 439 N/A +/-34.2 +/-38.1 U Neptunium-239 U -14.3 100 N/A -4.76 pCi/L +/-16.1 +/-17.1 Niobium-94 U -1.95U -0.388 134 N/A pCi/L +/-2.04 +/-2.09 U Niobium-95 0.845 U 1.33 pCi/L 44 N/A +/-2.76 +/-2.44 U Potassium-40 14.8 U 24.0 pCi/L 47 N/A +/-32.5 +/-54.1 Promethium-144 U -1.48 U -0.146 pCi/L 164 N/A +/-2.11 +/-2.37 Promethium-146 U -0.576U 0.960 pCi/L 801 N/A +/-2.77 +/-3.15 U Radium-228 -0.23 U 0.0696 373 pCi/L N/A +/-8.92 +/-10.7 Ruthenium-106 U -5.47 U -22.9 123 N/A pCi/L +/-20.6 +/-22.0 U 2.39 27 Silver-110m 1.82 U pCi/L N/A +/-2.15 +/-2.09 U Sodium-22 0.902 Ų 0.455 pCi/L 66 N/A +/-1.98 +/-2.44 Thallium-208 -1.65 U -1.55 pCi/L 6 N/A

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 226292 Page 3 of 10 NOM Units RPD% REC% Parmname Sample Qual QC Range Anlst Date Time Rad Gamma Spec 853411 Batch +/-2.80 +/-3.30 Thorium-230 U 616 pCi/L 23000 N/A KXG3 03/27/09 12:49 U -626 +/-4110 +/-4130 Thorium-234 U 227 U -249 pCi/L 4310 N/A +/-218 +/-165 Tin-113 U -0.379U -0.387 pCi/L 2 N/A +/-3.02 +/-3.09 pCi/L Uranium-235 U 7.84 U -18.4 498 N/A +/-19.4 +/-21.3 UI Uranium-238 -249 pCi/L 4310 N/A 0.00 U +/-218 +/-165 Yttrium-88 U 201 N/A 2.03 U -0.0051 pCi/L +/-2.50 +/-2.45 Zinc-65 U -4.12-0.32 pCi/L 171 N/A +/-4.56 +/-4.87 U 132 N/A Zirconium-95 2.00 0.409 pCi/L U +/-3.95 +/-4.36 QC1201805072 LCS U pCi/L 03/27/09 13:20 Actinium-228 8.50 +/-42.3 Americium-241 1240 1340 pCi/L 108 (75% - 125%)+/-209 Antimony-124 U 0.290 pCi/L +/-8.12 Antimony-125 U 46.9 pCi/L +/-25.6 Barium-133 Ų -1.26 pCi/L +/-9.88 Barium-140 U -27.5 pCi/L +/-31.6 Beryllium-7 U -24.5 pCi/L +/-74.8 Bismuth-212 υ 32.5 pCi/L +/-62.6 Bismuth-214 U 12.0 pCi/L +/-16.7 Cerium-139 U 0.564 pCi/L +/-6.60 Cerium-141 U 12.4 pCi/L +/-11.8 -74.3 Cerium-144 U pCi/L +/-52.4 Cesium-134 U pCi/L 3.17

+/-10.7

GEL LABORATORIES LLC 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder:	

226292

Page 4 of 10

Parmname	NOM	Sample Qual	QC	Units RPD%	REC%	Range Anlst	Date Time
Rad Gamma Spec			7				
Batch 853411							
Cesium-136		U	-1.49	pCi/L			
			+/-16.1				
Cesium-137	441		452	pCi/L	103	(75%-125%) KXG3	03/27/09 13:20
			+/-38.1				
Chromium-51		Ü	-3.62	pCi/L			
0.1.11.55			+/-67.6	O			
Cobalt-56		. U	2.27 +/-8.92	pCi/L			
Cobalt-57			47.7	pCi/L			
Cobali-37			+/-12.9	pent			
Cobalt-58		U	-3.56	pCi/L			
		_	+/-8.66	P			
Cobalt-60	558		533	pCi/L	96	(75%-125%)	
			+/-54.3	• •			
Europium-152		υ	12.2	pCi/L			
			+/-23.2				
Europium-154		U	-2.3	pCi/L			
			+/-17.4				
Europium-155		U	-12.7	pCi/L			
			+/-27.7				
Iridium-192		U	0.726	pCi/L			
1 50		**	+/-7.48	C): //			
Iron-59		U	-15 +/-20.7	pCi/L		•	
Lead-210		U	-936	pCi/L			
Lead-210	•	U	+/-1850	pc//L			
Lead-212		บ	-0.294	pCi/L			
Lead 212		Ü	+/-13.7	penz			
Lead-214		· U	7.19	pCi/L			
			+/-17.0	•			
Manganese-54		U	-2.38	pCi/L			
			+/-9.00				
Mercury-203		U	-7.82	pCi/L			
			+/-7.66				•
Neodymium-147		U	-6.65	pCi/L			
N		**	+/-56.5	O: 4			
Neptunium-239		ប	21.3 - +/-55.2	pCi/L			
Niobium-94		υ	2.34	pCi/L			
[Ni00]uiii-94		U	+/-7.58	perc			
Niobium-95		υ	-6.28	pCi/L			
1470010111 20		J	+/-8.16	Pose			
Potassium-40		υ	-51	pCi/L			
		-	+/-50.6	•			
Promethium-144		U	1.82	pCi/L		•	

GEL LABORATORIES LLC 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

			QC Su	<u>iiiiiiai y</u>				
Workorder: 2	26292						Page 5 of 10	
Parmname		NOM	Sample Qual	QC	Units RPD%	REC%	Range Anlst	Date Time
Rad Gamma Spec Batch 853	411							
				+/-7.62				
Promethium-146			U	-0.395 +/-11.1	pCi/L		KXG3	03/27/09 13:20
Radium-228			U	8.50 +/-42.3	pCi/L			
Ruthenium-106			U	8.04 +/-74.9	pCi/L			
Silver-110m				19.9 +/-10.3	pCi/L			
Sodium-22			υ	-0.271 +/-6.06	pCi/L			
Thallium-208			U	-2.38 +/-7.85	pCi/L			
Thorium-230			. U	1400 +/-9690	pCi/L			
Thorium-234			U	-428 +/-500	pCi/L			
Tin-113			υ	6.67 +/-10.4	pCi/L			
Uranium-235			U	-7.55 +/-53.1	pCi/L			
Uranium-238			υ	-428 +/-500	pCi/L			
Yttrium-88			U	5.23 +/-6.29	pCi/L			
Zinc-65			υ	5.70 +/-19.9	pCi/L			
Zirconium-95			U	7.36 +/-15.1	pCi/L			
QC1201805069 Actinium-228	МВ		U	7.91 +/-10.4	pCi/L			03/27/09 08:47
Americium-241			U	2.33 +/-14.2	pCi/L			,
Antimony-124			U	-1.39 +/-4.70	pCi/L			
Antimony-125			U	-3.2 +/-6.16	pCi/L			
Barium-133		•	U	-4.34 +/-3.23	pCi/L			
Barium-140			U	5.35 +/-9.56	pCi/L			
Beryllium-7			U	-6.41 +/-17.9	pCi/L			

GEL LABORATORIES LLC 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 : www.gel.com

QC Summary

Workorder: 226292		`				Page 6 of 10	
Parmname	NOM	Sample Qual	QC	Units RPD9	% REC%	Range Anlst	Date Time
Rad Gamma Spec Batch 853411							
Bismuth-212		U	0.777 +/-17.7	pCi/L			
Bismuth-214		U	-3.83 +/-6.04	pCi/L		KXG3	03/27/09 08:47
Cerium-139	,	U	0.594 +/-2.09	pCi/L			
Cerium-141		U	0.963 +/-4.12	pCi/L			
Cerium-144	,	· U	-2.34 +/-14.5	pCi/L	-		
Cesium-134		U	-0.524 +/-2.70	pCi/L			
Cesium-136		Ù	4.02 +/-3.30	pCi/L			
Cesium-137		U	0.363 +/-2,44	pCi/L			
Chromium-51		U	-5.75 +/-18.5	pCi/L			
Cobalt-56		U	-3.27 +/-2.27	pCi/L			
Cobalt-57		U	0.555 +/-1.85	pCi/L			
Cobalt-58		υ	0.677 +/-1.90	pCi/L			
Cobalt-60		U	1.13 +/-2.46	pCi/L			
Europium-152		U	-3.01 +/-6.98	pCi/L			
Europium-154		U	-0.309 +/-5.97	pCi/L			
Europium-155		U	3.65 +/-7.86	pCi/L			
Iridium-192		· U	1.43 +/-2.15	pCi/L			
Iron-59		U	-0.537 +/-3.64	pCì/L			
Lead-210		U	-19.4 +/-396	pCi/L			
Lead-212		υ	-2.19 +/-5.16	pCi/L			
Lead-214		U	0.931 +/-6.10	pCi/L			
Manganese-54		U	1.80	pCi/L			
Mercury-203		U	0.291	pCi/L			

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Wor	kord	er:

226292

Page 7 of 10

Parmname	NOM	Sample Qual	QC	Units RPD9	6 REC%	Range	Anlst	Date Time
Rad Gamma Spec Batch 853411								
	,		+/-2.44					
Neodymium-147		U	7.93	pCi/L			KXG3	03/27/09 08:47
			+/-17.4					
Neptunium-239		U	-0.255	pCi/L				
			+/-14.8					
Niobium-94	•	U	-0.26	pCi/L				
Niobium-95		U	+/-2.23 1.07	pCi/L				
Niobium-95		0	+/-2.48	pc//L				
Potassium-40		UI	0.00	pCi/L				
		~	+/-32.1	PU. 2				
Promethium-144		U	0.0328	pCi/L				
		0	+/-2.45	· .				
Promethium-146		U	-1.59	pCi/L				•
			+/-2.86					
Radium-228		U	7.91	pCi/L				
			+/-10.4					
Ruthenium-106		U	-7.46	pCi/L				
		• •	+/-21.1					
Silver-110m		υ	-1.49	pCi/L				
S-4: 22		υ	+/-2.30 -0.0786	~C: //				
Sodium-22		U	+/-2.13	pCi/L				_
Thallium-208		U	0.228	pCi/L				
manium-200		O	+/-3.04	peur				
Thorium-230		U	527	pCi/L				
		_	+/-3490	P				
Thorium-234		υ	51.1	pCi/L				
			+/-179	-				
Tin-113		U	-0.0573	pCi/L				
			+/-2.86					
Uranium-235		U	-10.4	pCi/L				
			+/-18.9					
Uranium-238		U	51.1	pCi/L				
Westing 00		¥T	+/-179	-C: II				
Yttrium-88		ប	0.902 +/-2.26	pCi/L				
Zinc-65		U	-3.4	pCì/L				
Zinc 05		C	+/-4.54	рель				
Zirconium-95		Ü	2.25	pCi/L				
		· ·	+/-3.90	F				
Rad Gas Flow								

Rad Gas Flow

Batch

85188I

QC1201801603 226292001 DUP

GEL LABORATORIES LLC. 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder:

226292

Page 8 of 10

								rage o	<i>J</i> 10	
Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Rad Gas Flow										
Batch 851881										
Alpha	U	0.611	U	0.181	pCi/L	0		N/A	DXB5	03/26/09 20:03
•		+/-1.46		+/-1.11	- -					
Beta		8.62		11.4	pCi/L	28		(0% - 100%)		
•		+/-2.20		+/-2.34						
QC1201801606 LCS	77.9			05.4	C' T		100	(750) 1050)		02/26/00 20 02
Alpha	11.9			95.4 +/-9.0 5	pCi/L		122	(75%-125%)		03/26/09 20:03
Beta	262			265	pCi/L		101	(75%-125%)		
Beta	202			+/-10.4	pent		101	(1370 12370)		
QC1201801602 MB				,, 20,,				•		
Alpha			U	0.203	pCi/L					03/26/09 20:03
				+/-0.751						
Beta				2.47	pCi/L					
OCI201001004 22020001 NE				+/-1.39						
QC1201801604 226292001 MS Alpha	468 U	0.611		597	pCi/L		128*	(75%-125%)		03/26/09 20:03
, upin	,50	+/-1.46		+/-59.7	pen 2			(75 % 120 75)		03/20/07 20:05
Beta .	1570	8.62		1810	pCi/L		115	(75%-125%)		
		+/-2.20		+/-69.7	•			,		
QC1201801605 226292001 MSD										
Alpha	468 U	0.611		562	pCi/L	6	120	(0%-20%)		03/26/09 20:03
D .	1.570	+/-1.46		+/-58.9	01.5	2	111	(001.00m)		
Beta	1570	8.62 +/-2.20		1750 +/-66.9	pCi/L	3	111	(0%-20%)		
Batch 851901		T/-2.20		₹/-00.7						
QC1201801682 226365001 DUP										
Strontium-90	U	0.514	U	0.503	pCi/L	0		N/A	BXF1	03/26/09 18:01
		+/-0.693	_	+/-0.773	F					
QC1201801684 LCS										
Strontium-90	65.5			67.4	pCi/L		103	(75%-125%)		03/26/09 18:01
0.01001001/01 ND				+/-2.80						
QC1201801681 MB Strontium-90			U	-0.0837	pCi/L					03/26/09 18:01
onomiam yo			Ū	+/-0.604	Pend					00/20/05 10:01
QC1201801683 226365001 MS										
Strontium-90	131 U	0.514		75.3	pCi/L		58*	(75%-125%)		03/26/09 18:01
		+/-0.693		+/-4.19						
Rad Liquid Scintillation Batch 851923										
QC1201801725 226292001 DUP Tritium	U	-168	U	-59	pCi/L	0		N/A	SXL4	03/27/09 09:38
TiMum	Ü	+/-265	Ŭ	+/-273	PC#L	· ·		7471	U.L.	03/2//07 09:30
QC1201801727 LCS		= 0.0		=						
Tritium	2370			1920	pCi/L		81	(75%-125%)		03/27/09 10:10
				+/-425						
QC1201801724 MB			T T	100	_010					03/27/00 00-21
Tritium			U	108	pCi/L					03/27/09 09:21

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder:

226292

Page 9 of 10

Parmname	NOM		Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Rad Liquid Scintillation Batch 851923											
OC1201801726 226292001 MS					+/-292						
Tritium	2380	U	-168		2570	pCi/L		108	(75%-125%)	SXL4	03/27/09 09:54
			+/-265		+/-477	,					

Notes:

The Qualifiers in this report are defined as follows:

- ** Analyte is a surrogate compound
- < Result is less than value reported
- > Result is greater than value reported
- A The TIC is a suspected aldol-condensation product
- B For General Chemistry and Organic analysis the target analyte was detected in the associated blank.
- BD Results are either below the MDC or tracer recovery is low
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of the sample
- F Estimated Value
- H Analytical holding time was exceeded
- J Value is estimated
- M M if above MDC and less than LLD
- M Matrix Related Failure
- N/A RPD or %Recovery limits do not apply.
- ND Analyte concentration is not detected above the detection limit
- NJ Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- R Sample results are rejected
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.
- Ul Gamma Spectroscopy--Uncertain identification
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y QC Samples were not spiked with this compound
- ^ RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL. Qualifier Not Applicable for Radiochemistry.
- h Preparation or preservation holding time was exceeded

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder:

226292

Page 10 of 10

Parmname NOM Sample Qual OC Units RPD% Range Anlst Date Time

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

[^] The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

^{*} Indicates that a Quality Control parameter was not within specifications.

GEL Laboratories LLC Form GEL-NCR Rev. 06/05

NCR Report No.: 675304 Revision No.: 1

Mo.Day Yr. 03-APR-09	Division: Radiochemistry	Quality Criteria: Specifications	Type: Process
Instrument Type: GFPC	Test / Method: EPA 905.0 Modified	Matrix Type: Liquid	Client Code: ALSV, HRSD, URSC
Batch ID: . 851901	Sample Numbers: See Below		
-	order(s)(SDG): 226292,226365,226368		
Application Issues:			
Failed Recovery for MS/PS		1 4170 7	· · · · · · · · · · · · · · · · · · ·
Specification and Require Nonconformance Descript	ments tion:	NRG Disposition:	
the matrix of the sample.	3 did not meet the recovery requirement due to The sample was very oily, cloudy, and with the sample, yellow salt-like crystals were	2. Reporting results.	
		•	
			•
Originator's Name:		Data Validator/Group Lead	ler:

GEL Laboratories LLC Form GEL-NCR Rev. 06/05

NCR Report No.: 675802

Revision No.: 1

Mo.Day Yr. 06-APR-09	Division: Radiochemistry	Quality Criteria: Specifications	Type: Process	
nstrument Type:	Test / Method: EPA 900.0	Matrix Type: Liquid	Client Code: HRSD,URSC	• "
Batch ID: 351881	Sample Numbers: See Below			
otentially affected work or	der(s)(SDG):226292,226365			
Application Issues:				
Failed Recovery for MS/PS				
Specification and Requirem Nonconformance Description	ents on:	NRG Disposition:		
requirement. The matrix spil	did not meet the alpha recovery ke duplicate 1201801605 did meet the alpha ive percent difference between the matrix uplicate is 6%.	Reporting Results.		
		<u> </u>		
•				
Originator's Name:		Data Validator/Group	a London	
<u> </u>	PR-09	Heather McCarty	06-APR-09	
fakesha Mungo 06-A				

List of current GEL Certifications as of 06 April 2009

State	Certification
Arizona	AZ0668
Arkansas	88-0651
CLIA	42D0904046
California – NELAP	01151CA
Colorado	GEL
Connecticut	PH-0169
Dept. of Navy	NFESC 413
EPA Region 5	WG-15J
Florida - NELAP	E87156
Georgia	E87156 (FL/NELAP)
Georgia DW	967
Hawaii	N/A
ISO 17025	2567.01
Idaho	SC00012
Illinois – NELAP	200029
Indiana	C-SC-01
Kansas – NELAP	E-10332
Kentucky	90129
Louisiana – NELAP	03046
Maryland	270
Massachusetts	M-SC012
Nevada	SC00012
New Jersey - NELAP	SC002
New Mexico	FL NELAP E87156
New York - NELAP	11501
North Carolina	233
North Carolina DW	45709
Oklahoma	9904
Pennsylvania - NELAP	68-00485
South Carolina	10120001/10120002
Tennessee	TN 02934
Texas - NELAP	T104704235-07B-TX
U.S. Dept. of Agriculture	S~52597
Utah NELAP	GEL
Vermont	VT87156
Virginia	00151
Washington	C1641



P.O. BOX 5902, VIRGINIA BEACH, VIRGINIA 23471-0902 • (757) 460-7045 • FAX: (757) 460-3985

www.hrsd.com

Commissioners

R. Tyler Bland, III Chair

March 30, 2009

Vishnu K. Lakdawala, PhD Vice-Chair

Parris D. Carson

B. Anne Davis

Douglas E. Miller

Frederick N. Elofson, CPA, PFS

Gerald S. Johnson

Michael E. Glenn

Norm Risavi

County Administrator Westmoreland County

P.O. Box 1000

Montross, VA 22520

RE: MONTHLY METALS

Serving the Cities of

Chesapeake

Hampton

Newport News

Norfolk

Poquoson

Portsmouth

Suffolk

Virginia Beach

Williamsburg

Dear Norm:

Enclosed are the analytical results, QA report and chain of custody record for the

March 12, 2009 sampling event.

Data has been emailed to Kevin Spruth at the Montross WWTP.

Should you have any questions, please feel free to contact me at (757) 460-

4247.

Sincerely, Serving the Counties of

Gloucester

Isle of Wight

James City

King & Queen

King William

Mathews

Middlesex

York

Daniel L. Barker

Environmental Scientist

DLB/cmr

Enclosures



HRSD

P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 • (757) 460-4205 • FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Cty - Montross WWTP

Customer Sample ID:

Field Blank

Sample Number:

931417

Project Code:

WE_MONT_M

Sample Point:

FΒ

Sample Date:

03/12/09

					Regulatory		•	
Analyte	Method	Unit	Result	Report Limit ¹	Report Limit ²	Analyst	Analysis Date	Analysis Time
Copper Total	EPA200.8	ug/L	< 0.5	0.5	7.3	CBATO	03/25/09	11:34
Zinc Total	EPA200.8	ug/L	<2	2	68	CBATO	03/25/09	11:34

Authorization: RClin Parnell

Date: 3/30/09

 $[\]frac{\textbf{Notes}}{^{I}} \textit{Report Limit is lowest concentration at which quantitation is demonstrated}.$

² Regulatory Report Limit is the quantification level listed in Montross WWTP VPDES permit # VA0072729.



HRSD

P.O. BOX 5911, VIRGINIA BEACH, VIRGINIA 23471-0911 • (757) 460-4205 • FAX: (757) 460-6586

www.hrsd.com

ANALYTICAL REPORT

Project:

Westmoreland Cty - Montross WWTP

Customer Sample ID:

Final Effluent

Sample Number:

931418

Project Code:

WE_MONT_M

Sample Point:

FNE

Sample Date:

03/12/09

			Regulatory													
Analyte		Method	Unit	Result	Report Limit ¹	Report Limit ²	Analyst	Analysis Date	Analysis Time							
Copper Total	<u> </u>	EPA200.8	ug/L	7.2	0.5	7.3	CBATO	03/25/09	11:39							
Hardness		SM2340B	mg eq_CaCO3/L	101	0.2		SWILLI	03/23/09	11:37							
Zinc Total		EPA200.8	ug/L	79.6	2	68	CBATO	03/25/09	11:39							

Authorization: Rolm Parnell

Date: 3/30/09

 $[\]frac{\textbf{Notes}}{^{I}} \textit{Report Limit is lowest concentration at which quantitation is demonstrated}.$

² Regulatory Report Limit is the quantification level listed in Montross WWTP VPDES permit # VA0072729.

QUALITY ASSURANCE REPORT Level 1

Project:

Westmoreland County

Project Code:

WE_MONT_M

Sample Point:

FB; FNE

Sample Date:

03/12/09

Analytical Run Information	Cu	Zn
Method	200.8	200.8
Units	ug/L	ug/L
Method Detection Limit (MDL)	0.08	0.15
Report Limit (RL)	0.5	2
Average LRB	<0.08	0.40*
Total Metals	Cu	Zn
Sample ID: WE_MONT_M FNE		
Matrix Spike Conc.	50	100
MS Percent Recovery	88%	82%
MSD Percent Recovery	90%	85%
MS/MSD RPD	2	2

LRB - Laboratory Reagent Blank

MS - Matrix Spike

MSD - Matrix Spike Duplicate

RPD - Relative Percent Difference

Validated By: Qurth Sout

Date: 03/30/09

^{*}Report Limit is lowest concentration at which quantitation is demonstrated. Values below report limit should not be used for compliance determination due to a high degree of uncertainty.

	-
1137 CON	ROADIC
I A DI	
	, Alle 1985
Same	DICK!
SANITATION	DIST
1000	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM

CENTRAL ENVIRONMENTAL LABORATORY

1432 AIR RAIL AVENUE VIRGINIA BEACH, VA 23455

TEL: 757-460-4214 FAX: 757-460-6586

CHAIN OF CUST	O.	DY	7
---------------	----	----	---

FAX: 757-460-6586								ARACISES REQUESTED, CON & NUMBER OF CONTAINERS										
PROJECT NAME/CODE: Westmoreland Co. Montross WW			VTP ·				Total Metals (5)	Dissolved Metals (55)	Cyanide (4)	Suffide (18)	Volatile 624 (1010i)	Semivol 625 (99m)	TBT (3131b)	Cl (12)		Project in Yes_ No	x	
	HRSD Use Only				,	Circle One	Circle One		ä			ا خ	ν̈́				HRSD U	se Only
CUSTOMER SAMPLE ID	PROJECT CODE	SAMPLE POINT	DATE	TIME	SAMPLED BY	MATRIX	SAMPLE TYPE	1									Presv'd Checked	COUN
<u> </u>	WE_MONT	FB	3/12/2009	10 45	LG	Ł	G	110	1 -						1.			2
	WE_MONT	FNE	3/12/2009		. LG	1.	G	4 2	س ۽.									à
•	WE_MONT	FNE	3/12/2009	1150	LG	Ĺ	G			1		10 /					1	III.
	WE_MONT	FNÉ	3/12/2009	1120	LG	٠	G				1		14	3 /	1			19
			l			L S	C G							<u> </u>				
	<u></u>		<u> </u>			L S	C G											
						L S	C G	<u> </u>		<u> </u>								
						L S	C G	 -		<u> </u>					<u> </u>	<u> </u>	<u>_</u>	·
						L S	C G		<u> </u>		ļ]	
· - <u></u>	L					L S	C G		ļ	<u> </u>				<u> </u>			<u> </u>	·
			<u> </u>	<u> </u>		Ł S	C G	<u> </u>	<u> </u>						about an interest to the			
COMMENTS:				•					• • •	•			align the second					

Temp. Requirement *Preservatives Relinquished by / Signature *Hg, Metals (pH<2 - HNO3) (Clean metals check in section) Where required, submitted Received by / Signature *Q&G (pH<2 - HCl, check in section) & store < 6 °C samples were transported in Relinquished by / Signature coolers maintained at < 6 °C. CN* (pH>12 - NaOH) & store < 6 °C Received by / Signature *Sulfide (pH>9 - NaOH+ZnAc) & store ≤ 6 °C Date/Time Relinguished by / Signature Date/Time *Micro (Na₃S₂O₃ + EDTA) & store < 10 °C Received by / Signature Date/Time *COD, NUT, Phenois Relinquished by / Signature Date/Time *TOC (pH<2 - H₃PO₄) & store ≤ 6 °C *BOD, TSS, TVSS, Turbidity, Surfactant, Sulfate store ≤ 6 °C Received by / Signature Date/Time *NUT Non Acidified, Conductivity, Organics store < 6 °C *Cr (VI) (pH 9.3 - 9.7 - (NH₄)₂SO₄) & store ≤ 6 °C All sample(s) met proper *preservation requirements.

Sample Type: C=Composite, G=Grab

Matrix: L= Liquid , S = Solid

, CGN: Container Group Number

NOTE: ALL APPLICABLE INFORMATION MUST BE COMPLETED PRIOR TO ACCEPTANCE.